

D-21014/3/2011-ADMIN
Government of India
Ministry of Coal

Room No.321 A, Shastri Bhawan,
New Delhi, the 21 January, 2016.

To

M/s Metro Sales Corporation,
4560/14, Kucha Bibi Gohar, Chakhewalan
Chawri Bazar, Delhi-06

Deficiency in supply of A/Cs in Ministry of Coal reg.

Sir,

With reference to our supply order No D-21014/3/2011-Admn. Dated 07.06.2013 for supply of 5 star rating LG Air Conditioners, it has been found that your concern has supplied Air Conditioners of the make of LG with the 2-star rating only. The supply was not as per the order given by Ministry of Coal. No tenable explanation has been given by your firm on this irregularity.

2. In spite of sending show cause notice to your firm, we have not received any replies. Notice dated 12.09.2015 was also served on you asking you to explain the cause why action should not be initiated against your firm for the irregularity in supply of ACs. No reply has been received from your side to the show cause notice.

3. Therefore, after consideration of all the facts it has been decided to backlist the firm from supplying Air Condition to this Ministry.

Yours Faithfully,


(I.P. Nagpal)

Under Secretary to the Govt. of India

Copy to

1. All Ministries /Departments of Government of India.
2. NIC, Ministry of Coal for uploading in the website for this Ministry

